

wsdl "instant message" generate user command

Search

Advanc

Web Show options...

Results 1 - 10 of about 11,500 for wsdl

Apache Ant - External Tools and Tasks

ImTask is a task to allow one to send an **Instant Message**. Ant tasks that **generate** record classes for VisualAge for Java from Cobol copy books. It gives the **use**r all the **command** line options, with the flexibility of using in within an Ant WSDLValidate is, as it sounds, a tool to validate **WSDL** files. ...

ant.apache.org/external.html - Cached - Similar

webservices. How to add a WSDL as Webservice Reference in Visual ... Cross-browser instant message and remote JavaScript callback Or in other words how do I create a Web Reference just having the WSDL file and the proxy ... www.mofeel.net/S5-microsoft-public-dotnet_aspnet_J3026.aspx - Qached

WinPcap Network Tools and Links

Sep 19, 2008... Intercepts and decodes all instant message traffic received by the computer... Nemesis is a command-line network packet injection utility for ... With Nemesis, it is possible to generate and transmit packets from the command SOAP and WSDL by monitoring communications among SOAP endpoints... www.mirrorelevice.org/sites/tip_witeraped_.flinks.thm - Cached - Similiar

[PDF] Building SIP System as Web Services

File Format: PDF/Adobe Acrobat - Quick View

by W Wu - Cited by 6 - Related articles

SIP Instant Message services have to be integrated with Chat Room For example, if a user wants to create a session named "testsession", ... the commands are be defined in WSDL format and invoked by XGSP collaboration manager. ...

citeseerx.ist.osu.edu/viewdoc/download?doi=10.1.1.63... - Similar

The Axis Users List

Nov 1, 2005 ... If a WSDL complex type element name is typeDesc, ... Hi Aleck, Use -H when you generate your javabean to have Axis' getTypeDesc method generated into a helper class. Never miss an Instant Message - Yalnool ...

blog.gmane.org/gmane.text.xmi.axis.user/month=20051101 - Cached

OW2 Forge: File Release Notes and Changelog

... EasyBeans, Easy WSDL Toolbox, Eclipse DBModeller, EclipseJDO ... With it, you can send instant message, exchange files real-time, store, ... Start tomcat server: +) On the Windows platform Open a DOS prompt command, go to tomcat/bin and Don't show warning message when user create new room without permission ... forge.ow2.org/projecis/shownotes.php?release_d=36352-04ched

Developer References

A developer can use the Communications Server Application API to create applications ... For example, the contacts and groups for a user can be consumed using the ... build workflow-enabled speech and instant message applications on OCS. ... a WSDL document for consumption by client application development tools. ... technet.nircostit.com/en-us/../dd425 1660f(file. 131.x5xx - Cached - Similar

Oracle Beehive Services

Execute remote commands such as data wipes, and requests for Bulk user

management functions including create, delete, and modify users Through supported Oracle Beehive clients, the Instant Message Services also The Web Services API Service exposes Web Services Description Language (WSDL) 1.2 Simple ... download.oracle.com/docs/cd/E13789 01/bh.100/.../services.htm - Cached

Automated Management of User Centric Session in NGN

by W Guo - 2008 - Related articles

the Instant Message with friends all over the world; we check the email box regularly; Description Language (WSDL). Anyone who wants to use this ... The first workflow is to generate personalized application in user centric session ...

ieeexplore.ieee.org/iel5/4746584/4746585/04746600.pdf?arnumber...

Mac OS X Technology Overview: Application Technologies Aug 14, 2009 ... Java and WebObjects may also need to create universal binaries for

bridged code. Creating web services based on SOAP, XML, and WSDL ... commandline tools or scripts to perform specific user-level tasks. In Mac OS X v10.5, you can use the Instant Message framework to support iChat Theater. ...

developer apple.com/mac/library/.../AppTechnology.html - Cached - Similar

1 2 3 4 5 6 7 8 9 10 Next wsdl "instant message" generate user command Search within results - Language Tools - Search Help - Dissatisfied? Help us im Google Home - Advertising Programs - Business Solutions - Prive

Goog	gle scholar	wsdl generate user co	mmand "instant me	ssag Search	Advanced Scholar Search Scholar Preferences
Scholar	Articles and pa	atents 🔻		clude citations	Results 1 - 23 of :

[PDF] Integration of SIP VoIP and Messaging with the AccessGrid and H. 323 Systems W Wu, A Uyar, H Bulut, G Fox - Proc. of 1st Int. Conf. on Web Services Las. _, 2003 - Citaseer ... For example, if a user wants to create a session named "testsession", for both AccessGrid ... When a collaboration user logs and joins in XGSP session, he or she is required to ... Appendix A shows some segments of its WSDL definition, which describes the service of CreateSession ... Clied by 6 - Belanted gridges - View as HTML - All 6 versions.

Session initiation protocol and Web services for next **generation** multimedia applications H Gal, W Lu, B Yang, LH Tang - 2002 - computer.org Page 1. Session Initiation Protocol and Web Services for Next **Generation** Multimedia Applications ... SOAP Find IVR TTS Pres Conf Bind Invoke as Web Service Invoke from SIP clients Publish (**WSDL**) 0. 1'. 1". 1". 2 ... (2) Initiate a service from a SOAP client An end **user** could also ... Cited by 7 - Related articles - All 5 versions

Interactive filtering electronic messages received from a publication/subscription service BD Goodinan, F. Jania, KC Lagarde, C Shu, ... - US Patent App. 107 ..., 2002 - Google Patents ... Client applications filter incoming messages according to user predefined criteria, only presenting messages to the user that pass filtering criteria. Messages are preferably Instant Messages transmitted in a SOAP protocol, 402 403 601/1508 Pub/Sub Server 600 603 Page 2...

IPDFI Web Application Architecture

L Shklar, R Rosen - Principles, Protocols and Practices, st. John ..., 2003 - math-cs.aut.ac.ir ... 11.1.2 W5DL ... without the more sophisticated tools we have at our disposal today, it was an easy task for someone to create a Web page ... A Web application presents dynamically tailored content based on request parameters, Itacked user behaviors, and security considerations. ... Citad by 11 - Related articles - View as HTML - Ail 3 versions

Multi-team immersive integrated collaboration workspace

EH Wynn, D Meyers, CK Pickering, PB ... - US Patent App. 10/..., 2003 - Google Patents ... Within a project, users may view avatars representing other team members, view the current schedule, add or change meetings, update documents, complete deliverables, and interact with team members around the world....

Push communications architecture for intelligent electronic devices
DS Flansom, MA Hancock, RG Hart, JB... - US Patent App. 10/..., 2003 - Google Patents
... Distributed Power Management Component Power Reliability Component Electrical Power
Generation Management Component ... more cost effective All suppliers too expensive I 528 530
Command to reduce ... 15b 1520 1530 Send Status to Instant Message Server 1540 Not-FIG ...
All 2 versions

Method and apparatus for adaptive message and call notification CL Reding, JR Reformato, M...- US Patent App. 10/..., 2003 - Google Patents ... Cl.7 H04M 3/42 (52) US Cl 379/211.02 (57) ABSTRACT Methods and systems for providing a user's preferred device with a notification of an incoming communication for one of a plurality of a user's devices... III - QQ D Determiner user's preferred device. CL Reding, Z Majid, S Neelakantan · US Patent App. 10/720,825, 2003 - Google Patents ... A sender may send a SMS message to a phone number address of a user. The SMS message is then routed to a preferred device selected by the user and displayed in an appropriate format on the preferred device. ... The user's preferred device Page 10. US 2005/0148351 Al Jul. ...

Methods and systems for multiuser selective notification

CL Reding, M Rajagopalan, C ... - US Patent App. 10/720,944, 2003 - Google Patents

... Voice network 104 may provide telephony services to allow a calling party, such as calling party 120, to place a call to user 110 ... g)). In yet another example, voice network 104 may be a wireless voice net- work*), such as, for example, a cellular or third-generation cellular network ...

All 3 versions

(PDF) Authentication in peer-to-peer systems

J Asiund - 2002 - liu.diva-portal.org

... 9 2. Instant message, Jane to John: "It's on my shared storage now" 3. John downloads the file from Jane's computer ... P2P Middleware Create Process Resource Management Access Control Security ... The user should not be able to tell if the resources are located locally or not. ...

Cited by 7 - Pelated articles - View as HTML - All 6 versions

Methods and systems for computer enhanced conference calling

M Rejagopalan, BF Roberts, N Kumuturi, ... - US Patent App. 10/ ..., 2003 - Google Patents ... a wireless broadband network, such as, for example, a network using WiFi (le, IEEE 802.11(b) and/or (g)). In yet another example, vice network 104 may be a wireless voice network(s), such as, for example, a cellular or third-generation cellular network ... 0031] User terminal 112 ... All 4 versions.

Methods and apparatus for information hyperchain management for on-demand business collaboration

LJ Zhang, JY Saysh, TJ Chao, YN Zuo, SX... - US Patent App. 10/.... 2003 - Google Patents ... 24, 2005 [0054] (3) Annotation storage 230: This component stores annotation data for visibility control, informa- tion delivery and management; [0055] (4) Annotation creation 240: Graphical user interface (GUI) based mechanisms to capture, create and automate the ...

Methods and systems for CPN triggered collaboration

M Rajagopalan, N Kunuturi, A... - US Patent App. 10/720,933, 2003 - Google Patents ... server initiates a collabo- ration between the first user and the second user based on a determination that the second user accepts the ... Yes 1 r Generate Collaboration Request to Calling Party i Initiate Collaboration From Called Party's Perspective i r Retrieve Call Preferences ... All 3 systems.

Methods and systems for conference call buffering

CL. Reding, JR Reformato, ZR Majid, CL... - US Patent App. 10/..., 2003 - Google Patents ... 10,2005 Sheet 7 of 8 US 2005/0053214 AI 702-704-706-708-710-712-714-716-718- Create Conference Call I Retrieve User Profiles I Determine Audio Stream Destinations I Contact **Users** Bridge **Users** Onto Conference Call Bridge Audio Digitizing Device Onto ...

Methods and systems for configuring and providing conference calls

CL Redning, JR Reformato, M Rajagopatan... - US Patent App. 10/....2003 - Google Patents ... 0177034 AI USER SETS UP CONFERENCE CALL SCHEDULE EVENT 910 1 IDENTIFY CONFERENCE BRIDGE 1DENTIFICATION NUMBER TO CBA MESSAGE 930 SEND CBA MESSAGE TO CBA SERVER 940 GENERATE CBA BRIDGE ... All 2 AMERICAS

Methods and systems for line management

CL Feding, M Rajagopatan, A D'Silva, Z... - US Patent App. 10/... 2003 - Google Patents ... 60/272, (Continued) Publication Classification (51) Int. Cl.7 H04L 12/66 (52) US Cl 370/352; 379/221.09 (57) ABSTRACT Methods and Systems are provided for managing one or more communications lines associated with a user of a communications network....

Methods and systems for call management with user intervention

RA Chingon, SP Bronnan, CL Heibling, N. .. - US Patent App. 10/ ..., 2003 - Google Patents network 104 may provide telephony services to allow a calling party, such as calling party 120, to place a telephone call to user 110. ... In yet another example, the voice network 104 may be a wireless voice network(s), such as, for example, a cellular or third-generation cellular net ... All 5 versions.

System, method, and computer program product for providing location based services and mob

ML Barnes - US Patent App. 10/154,016, 2002 - Google Patents

... The preferred means of supplying user input to the present invention is through a voice command received by ... the present invention is designed to communicate via an analog network often referred to first generation network or ... First, the user opens a. browser (eg, a minibrowser ...

All 2 versions

Methods and systems for preemptive rejection of calls

RA Chingon, S Zalar, CL. Reding, CL. ... - US Patent App. 10/..., 2003 - Google Patents ... network 104 may provide telephony services to allow a calling party, such as calling party 120, to place a telephone call to user 110... In yet another example, voice network 104 may be a wireless voice network(s), such as, for example, a cellular or third-generation cellular network ...

Methods and systems for automatic forwarding of communications to a preferred device M Rajagopalan, N Kunuturi, CL Reding, J ... US Patent App. 10/..., 2003 - Google Patents ... As revice center consistent with the present invention is operable to receive information pertaining to a communication to a user from a calling party, and retrieve data corresponding to the user

[BOOK] Doing Business on the Internet: Forms and Analysis, With Forms on Disk JS Milistein, JD Neuburger, JP Weingart - 1997 - books.google.com

using the received information. ... 1, such as user terminal 112 and service center 106. ...

... 1.01 Overview 1-2 § 1.02 History of the Internet 1-4 [1] The New Internets 1-6.1 [a] Internet2 1-6.1 [b] Next Generation Internet (NGI ... 3-81 [15] Copyright Infringement of Computer Software/Non-Literal Copying 3-82 [a] Evolving Standards 3-83 [b] Protection of the User Interface Related articles - All 2 versions

Method and apparatus for providing real-time communication center reporting data to third-party applications over a data network

P Makagon, A Ryabchun, N Anisimov - US Patent App. 10/289,581, 2002 - Google Patents ... a 'N f' "N / C Application J (Application) (Application J" 206 116a-n- WSDL/SOAP/HTTP! ... The principle name may include application name and user name and the password may include any ... An instant message (IM) server 109 is illustrated in this example and is adapted for ...

Method for organizing multiple versions of XML for use in a contact center environment O Bondarenko, N Anisimov - US Patent App. 10/335,637, 2002 - Google Patents ... Page 3. Patent Application Publication Apr. 29,2004 Sheet 2 of 13 US 2004/0083479 Al Third Party Applications ication) (Application) (Application n "\ Application 206 116a-n WSDL/SOAPHITTP! ... [0011] Mark-up languages used to create and deploy a voice application ...



wsdl generate user command "instal Search

Go to Google Home - About Google - About Google Scholar

©2010 Google



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

wsdl "instant message" command



Searching within **The Guide** for: wsdl "instant message" command (start a new search)

Tourid 2 of 1,550,574

wsdl "instant message

Discovered Terms

▼ Refine by People Names

Institutions

Publications

FEEDBACK

with feedback

Publication Year

Publication Names Publishers

ADVANCED SEARCH

Advanced Search

Please provide us

Found 2 of 1.530.574

Authors

▼ Refine by

REFINE YOUR SEARCH Search Results

▼ Reline by Keywords Results 1 - 2 of

Results 1 - 2 of 2 Sort by relevance

Save results to a Binder

1From IMS Management to SOA Based NGN Management

Nikias Blum, Thomas Magedanz, Florian Schreiner, Sebastian Wahle June 2009 Journal of Network and Systems Management, Volume 17 Issue

Publisher: Plenum Press

Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Download

Although IP Multimedia Subsystem (IMS) based Next Generation Networks as the common session control platform for converging fixed, mobile and c solutions for the management of these converged platforms ...

Keywords: IP Multimedia Subsystem, New Generation Operations System assurance, Service fulfillment, Service oriented architectures, Service prov

ShanghaiGrid in action: the first stage projects towards digital city and a Minglu Li, Hul Liu, Fellong Tang, Feng Hong, Changjun Jiang, Weigin Tong, Ac Zhu, Shu Jiang

May 2005 International Journal of Grid and Utility Computing, Volume Publisher: Inderscience Publishers

Additional Information; full citation, abstract, references, cited by

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Download

The nearest goal of ShanghaiGrid is going to connect all supercomputers in form a sharing environment for massive storage and grid computing. The 1 ShanghaiGrid comprise four sub-projects, including: ...

Keywords: China, OGSA, ShanghaigGrid, city grid, digital city, grid compagrid infrastructure, intra-grid nodes, open grid service architecture, peer, peer,

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2010 A

Terms of Usage Privacy Policy Code of Ethios Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Res

Page 7 of 7